

# XYLEX

## 5-18-2

# XYLEX

## 5-18-2

### MINIMUM GUARANTEED ANALYSIS

Nitrogen	05.00%	Cobalt	00.05%
Phosphoric Acid	18.00%	Copper	00.05%
Soluble Potash	02.00%	Iron	00.40%
Magnesium	00.40%	Manganese	00.40%
Sulfur	01.00%	Molybdenum	00.05%
Boron	00.10%	Zinc	00.80%

FPA REG. NO.: 1-1IF-1040

NET CONTENT: 1 LITER

### KEEP OUT OF REACH OF CHILDREN

**WARNING!!!** Harmful if swallowed. Avoid breathing spray mist. May cause irritation of nose, throat and/or skin. Avoid contact with eyes, skin and clothing. If swallowed, induce vomiting by sticking finger down the throat. Never give anything by mouth to an unconscious person. If in eyes, wash with plenty of clear water for at least 15 minutes. Get medical attention.

# XYLEX

## 5-18-2

### GENERAL INFORMATION

XYLEX is a fluid nutrient compound designed to prevent nutrient deficiencies in plant. It is a valuable supplement to soil applied nutrients and is particularly beneficial under conditions where soil nutrients are not readily available. XYLEX will assure adequate nutrients at periods of fruit development.

### APPLICATION INSTRUCTIONS

Use 160 ml XYLEX per 16 L of water (1% solution XYLEX) at a maximum rate of 4 L per hectare. Repeat every 14 days thereafter until crop matures. It is recommended to have a maximum of 3 sprays per cropping.

XYLEX has a pH of 1 to 1.5. The use of buffering may result in crop damage. XYLEX may disperse in water with little agitation. Pesticides can be added when using XYLEX.

Exclusively Distributed in the Philippines by:



**STOLLER Philippines, Inc.**

Unit 1001, Manila Luxury Condominiums  
Pearl Drive, Ortigas Center, Pasig City  
1600 Philippines, Tel: 635-6309, 634-2121

A Product of:



**STOLLER International, Inc.**

Houston, Texas